

Total No. of Printed Pages—6

5 SEM TDC MTH M 2

2017

(November)

MATHEMATICS

(Major)

Course : 502

(Linear Algebra and Number Theory)

Full Marks : 80

Pass Marks : 32/24

Time : 3 hours

The figures in the margin indicate full marks for the questions

GROUP—A

(Linear Algebra)

(Marks : 40)

1. (a) When are two systems of linear equations said to be equivalent? 1
- (b) Is the vector space \mathbb{R}^2 a subspace of \mathbb{R}^3 ? Give reasons to your answer. 1+1=2
- (c) Prove that if two vectors in a vector space are linearly dependent, then one of them is a scalar multiple of the other. 2

(2)

- (d) Determine whether the following system is consistent or not :

$$2x_1 - 3x_2 + 2x_3 = 1$$

$$x_2 - 4x_3 = 8$$

$$5x_1 - 8x_2 + 7x_3 = 1$$

- (e) Show that the set $H = \{(3t, 2+5t) : t \in \mathbb{Z}\}$ cannot be a subspace of the vector space \mathbb{R}^2 .

- (f) Find the value of h so that the vector w be in the subspace of \mathbb{R}^3 spanned by the vectors v_1, v_2, v_3 , where

$$v_1 = \begin{bmatrix} 1 \\ -1 \\ -2 \end{bmatrix}, v_2 = \begin{bmatrix} 5 \\ -4 \\ -7 \end{bmatrix}, v_3 = \begin{bmatrix} -3 \\ 1 \\ 0 \end{bmatrix} \text{ and } w = \begin{bmatrix} -4 \\ 3 \\ h \end{bmatrix}$$

- (g) Show that the set

$$B = \{(1, 0, 0), (1, 1, 0), (1, 1, 1)\}$$

is a basis of the real vector space \mathbb{R}^3 . Hence find the coordinates of the vector (a, b, c) with respect to the above basis.

Or

If W is a subspace of a finite dimensional vector space V over a field F , then prove that

$$\dim \frac{V}{W} = \dim V - \dim W$$

(3)

2. (a) Define an affine subspace of a vector space with example.

- (b) Show that $u = \begin{bmatrix} 5 \\ 3 \\ -2 \end{bmatrix}$ belongs to the null

$$\text{space of } A = \begin{bmatrix} 1 & -3 & -2 \\ -5 & 9 & 1 \end{bmatrix}.$$

- (c) Define null space of a linear transformation. Let U and V be two vector spaces over the same field F and T be a linear transformation from U into V . Then prove that the null space of T is a subspace of U .

- (d) Let T be the linear operator on \mathbb{R}^2 defined by

$$T(x, y) = (4x - 2y, 2x + y)$$

Find the matrix representation of T relative to the basis $\{(1, 1), (-1, 0)\}$.

- (e) Let V be the vector space of all complex numbers $a+ib$ over the field of reals \mathbb{R} and let T be a mapping from V to \mathbb{R}^2 defined as $T(a+ib) = (a, b)$. Show that T is an isomorphism of V into \mathbb{R}^2 .

- (f) Find the range and Kernel of $T: \mathbb{R}^3 \rightarrow \mathbb{R}^3$, defined by

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \mapsto \begin{pmatrix} x+z \\ x+y+2z \\ 2x+y+3z \end{pmatrix}$$

GROUP—B

(Number Theory)

(Marks : 40)

3. (a) When are two integers said to be relatively prime? 1
 (b) Prove that if $a|b$ and $b \neq 0$, then $|a| \leq |b|$. 2
 (c) Show that the square of any odd integer is of the form $8k+1$. 4
4. Answer any two of the following : $3 \times 2 = 6$
 (a) Prove that there exists no rational algebraic formula which represents prime numbers only.
 (b) Prove that the set of prime numbers is infinite.
 (c) Show that $[x] + [-x] = 0$ or -1 according as x is an integer or fraction.

5. Write the values of $[-\pi]$ and $\left[\frac{1}{9}\right]$. 2

6. (a) Write the reduced set of residues mod 40. 1

- (b) Prove that if $a \equiv b \pmod{n}$ and $m|n$, then $a \equiv b \pmod{m}$. 2

- (c) Find the remainder when 2^{51} is divided by 7. 2

- (d) Find the positive integer solutions of the equation $7x + 19y = 213$. Also determine the number of solutions for this equation. $4+1=5$

Or

Solve $9x \equiv 21 \pmod{30}$ in integers and also find the total number of incongruent solutions. 5

- (e) Solve the following : 5

$$x \equiv 1 \pmod{3}$$

$$x \equiv 2 \pmod{5}$$

$$x \equiv 3 \pmod{7}$$

7. (a) Define $\sigma(n)$ and find $\sigma(2)$.

1+2=3

(b) Prove that if p is a prime, then

$$\phi(p) + \sigma(p) = p \cdot d(p)$$

2

(c) Prove that if $\sigma_{-k}(n) = n^{-k} \sigma_k(n)$.

3

(d) Evaluate :

2

$$P(10) \text{ and } \mu(24)$$
